



Contact person
Per Thureson
Fire Research
+46 10 516 50 83
per.thureson@sp.se

Date
2015-06-11

Reference
Your reference
Bengt Rääf

Page
1 (1)

Trällit AB
Fabriksgatan 2
570 60 Österbymo

Validity of fire classification

SP Fire Research has issued classification reports for Trällit AB, ref, P501612-01A and P501612-01C according to EN 13501-1. The reaction to fire class stated in the reports is B-s1,d0.

The validity of the reports has no defined time limit. The reports are valid as long as Trällit AB produces the products under the same circumstances as was done at the time of the original initial type test.

If the way of production or the composition of the products are changed that may affect the reaction to fire properties. In such cases retesting may be necessary to maintain the classification.

Yours sincerely,

SP Technical Research Institute of Sweden
Fire Research - Fire Dynamics

Per Thureson

SP Technical Research Institute of Sweden

<i>Postal address</i>	<i>Office location</i>	<i>Telephone / Telefax</i>	<i>E-mail / Internet</i>	<i>Bank account</i>	<i>Postal giro account</i>	<i>Reg.number</i>
SP Box 857 SE-501 15 BORÅS Sweden	Västeråsen Brinellgatan 4 SE-504 62 BORÅS	+46 10 516 50 00 +46 33 13 55 02	info@sp.se www.sp.se	6662-275 695 611 1055-3 Svenska Handelsbanken SWIFT: HAND SE SS IBAN: se156000000000275695611		556464-6874 VAT number SE556464687401